

**TABULAR DESCRIPTION**

**DIMKI 1B**

Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
010	CF	AC420	-	189(179.6)	-9.0	6.8	L	-	-265	RNP 1
020	TF	AC421	-	099(089.6)	-	11.0	L	-F080	-	RNP 1
030	TF	AC422	-	011(002.0)	-	16.2	-	+F110	-	RNP 1
040	TF	AC423	-	011(002.0)	-	10.8	R	-	-	RNP 1
050	TF	DIMKI	-	039(029.7)	-	57.0	-	-	-	RNP 1

**IRPOT 1B**

Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
010	CF	AC420	-	189(179.6)	-9.0	6.8	L	-	-265	RNP 1
020	TF	AC421	-	099(089.6)	-	11.0	R	-F080	-	RNP 1
030	TF	IRPOT	-	106(097.0)	-	27.5	-	-	-	RNP 1

**DISDA 1B**

Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
010	CF	AC424	-	189(179.6)	-9.0	23.2	R	-	-	RNP 1
020	TF	DISDA	-	202(193.4)	-	48.8	-	-	-	RNP 1

**LISOS 1B**

Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
010	CF	AC420	-	189(179.6)	-9.0	6.8	R	-	-265	RNP 1
020	TF	AC425	-	279(269.6)	-	11.0	R	-F080	-	RNP 1
030	TF	AC426	-	334(324.8)	-	16.0	L	-F120	-	RNP 1
040	TF	LISOS	-	278(269.1)	-	20.0	-	-	-	RNP 1

**GADUN 1B**

Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (Ft)	Speed Limit (Kt)	Navigation Specification
010	CF	AC420	-	189(179.6)	-9.0	6.8	R	-	-265	RNP 1
020	TF	AC425	-	279(269.6)	-	11.0	R	-F080	-	RNP 1
030	TF	AC426	-	334(324.8)	-	16.0	R	-F120	-	RNP 1
030	TF	GADUN	-	003(353.6)	-	27.3	-	-	-	RNP 1